

Technical Datasheet

LCT Blue Fresh Air

Description:

LCT Blue Fresh Air is a spray product for the controlled elimination of unpleasant odors in all industrial odors in all industrial, commercial and private areas. It eliminates unpleasant odors quickly, easily and reliably thanks to its 2 step effect combination:

Stage 1: Immediate effect thanks to highly effective odor absorber that quickly captures unpleasant odor molecules. odor molecules quickly and binds them permanently.

eaning Technology GmbH

Stage 2: Long-term effect thanks to microorganisms that break down the main components of foul-smelling compounds and thus eliminate the unpleasant odor.

Chemical characterization:

Aqueous cleaner, contains microorganisms.

Preparation is not subject to labeling according to Directive 67/548/EEC or 1999/45/EC.

VOC 1999/13/EC: 0 %

Recommended application:

LCT Blue Fresh Air is supplied ready for use. Simply spray at a distance of 20 to 30 cm onto the affected area.

Application examples:

- Waste containers / waste collection points
- Flood odors
- Fire odors
- Mold / toilet odors
- Cooking fumes
- Odors from pets



Areas of application:

- Hospitals
- Retirement / nursing homes
- supermarkets
- department stores
- Gastronomy, hotels, restaurants
- Car / truck interiors

NOTE: For water-sensitive materials (e.g. silk), test in an inconspicuous place. in an inconspicuous place. Do not use on leather!

Disposal:

Residual liquids can be disposed of in a sewage treatment plant in compliance with local discharge regulations to a sewage treatment plant.

Waste code number for the unused product:

07 06 01 aqueous washing liquids and mother liquors

20 01 30 cleaning agents, with the exception of those mentioned in 20 01 29 15 01 02

Plastic packaging.

aue Cleaning Technolog The waste code for used product depends on the contaminants entered. impurities.

Technical data:

Form: liquid Color: blue

Odor: apple

Boiling point: 98 °C

Ignition temperature: n.a.

Flash point: n.a.

Solidification point: 0 °C

Explosion limits

lower: n.a. Upper: n.a.

Density (20 °C) approx. 1.0 g/mL

Solubility in water: miscible in any ratio

pH value: 7.5 - 8.0



Water hazard class:

(Self-assessment according to VwVwS): 1 slightly hazardous to water

Environmental information:

Contains surfactants that are > 90 % biodegradable.

Contains no phosphates or AOX.

The microorganisms used are non-pathogenic bacteria of risk group 1 acc.

BioStoffV 2000/54/EC, TRB 466 (risk group 1: no risk for humans and vertebrates according to according to the current state of science).

Storage:

Frost-proof storage at 2 - 30 °C. Store in original container.

Storage class (VCI): 12

Note:

EU safety data sheet



Laue Cleaning Technology GmbH